

## TECHNIC SPECIFICATIONS

Inner diameter		Wall thickness		Working pressure		Bending Radius	
mm	inch	+1/-0,5mm	+0,04/0,02inch	Bar at 20°C	Psi at 68°F	mm	ft
13	1/2	6,0	0,24	10	145	60	2,4
16	5/8	6,0	0,24	10	145	75	2,9
19	3/4	6,0	0,24	10	145	90	3,5
25	1	6,0	0,24	10	145	140	5,5
32	1 1/4	6,5	0,26	10	145	200	7,8
38	1 1/2	6,5	0,26	10	145	250	9,8
51	2	7,25	0,28	10	145	300	11,8
63,5	2,5	8,0	0,31	10	145	380	14,9
76	3,00	8,0	0,31	10	145	500	19,6
100	3,9	8,5	0,33	10	145	600	24,0