

TECHNIC SPECIFICATIONS

Inner diameter		Wall thickness		Working pressure		Bending Radius	
mm	inch	+1/-0,5mm	+0,04/0,02inch	Bar at 20°C	Psi at 68°F	mm	ft
6,35	1/4	4,82	0,19	23,7	344,0	34	1,36
7,93	5/16	5,03	0,20	22,8	331,0	37	1,48
9,52	3/8	5,24	0,21	22,3	324,0	46	1,84
12,70	1/2	5,15	0,20	19,4	282,0	51	2,04
15,88	5/8	5,56	0,22	17,0	246,0	65	2,60
19,05	3/4	5,72	0,22	15,6	226,0	76	3,04
22,22	7/8	5,39	0,21	14,0	202,0	99	3,96
25,40	1	5,80	0,23	12,5	181,0	118	4,72
28,00	1 7/64	5,00	0,20	11,67	169,2	160	6,40
31,75	1 1/4	7,12	0,28	10,07	146,0	181	7,24