

## TECHNIC SPECIFICATIONS

Inner diameter		Wall thickness		Working pressure		Bending Radius	
mm	inch	+1/-0,5mm	+0,04/0,02inch	Bar at 20°C	Psi at 68°F	mm	ft
13	1/2	5,8	0,23	16,1	234	-	-
19	3/4	5,8	0,23	14,0	204	-	-
25	1	5,8	0,23	13,4	194	-	-
38	1 1/2	5,8	0,23	10,4	151	-	-
51	2	5,8	0,23	8,3	120	-	-
63	2 1/2	5,8	0,23	6,1	89	-	-
76	3	5,8	0,23	4,9	72	-	-